



SEQUENCE LISTING

<110> Union, Ann
Moereels, Henri
Meheus, Lydie

<120> PEPTIDES DESIGNED FOR THE DIAGNOSIS AND TREATMENT OF RHEUMATOID
ARTHRITIS

<130> 11362.0031NPUS00 INNS:031

<140> US 09/747,029
<141> 2000-12-21

<150> EP 00870195.5
<151> 2000-09-08

<150> EP 99870280.7
<151> 1999-12-21

<160> 24

<170> PatentIn version 3.2

<210> 1
<211> 18
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

C
3

<220>
<221> MISC_FEATURE
<222> (1)..(3)
<223> Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents Ile, Leu, Val, Ala or Met

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents Gly

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa represents Pro or Gly

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa represents Ser, Thr, Asp, Gly

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa represents Citrulline, Gly, Ser or Thr

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa represents Citrulline

 <220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> Xaa represents Gly

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

 <220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Xaa represent Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn, Tyr,
 Phe or Trp

 <220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> Xaa represents Gly

 <220>
 <221> MISC_FEATURE
 <222> (18)..(18)
 <223> Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln, Asn,
 Phe, Trp

<400> 1

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
 1 5 10 15

Xaa Xaa

<210> 2
<211> 15
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa represents Ile, Leu, Val, Ala or Met

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents Gly

C
3
<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa represents Pro or Gly

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa represents Ser, Thr, Asp or Gly

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline, Gly, Ser or Thr

<220>
<221> MISC_FEATURE
<222> (9)..(9)
<223> Xaa represents Citrulline

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa represents Gly

<220>
<221> MISC_FEATURE

<222> (11)..(11)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn, Tyr,
Phe or Trp

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents Gly

<220>
<221> MISC_FEATURE
<222> (15)..(15)
<223> Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln, Asn,
Phe or Trp

<400> 2

Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa
1 5 10 15

<210> 3
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (1)..(1)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents Gly

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents Pro or Gly

<220>
<221> MISC_FEATURE

<222> (6)..(6)
 <223> Xaa represents Ser, Thr, Asp or Gly

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa represents Citrulline, Gly, Ser or Thr

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa represents Citrulline

 <220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa represents Gly

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn, Tyr,
 Phe or Trp

 <220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> Xaa represents Gly

 <220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln, Asn,
 Phe or Trp

<400> 3

Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa
 .1 5 10

<210> 4
 <211> 18
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic Peptides

<220>
 <221> MISC_FEATURE

<222> (1)..(1)
 <223> Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg

 <220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg

 <220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg

 <220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa represents Ile, Leu, Val, Ala or Met

 <220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

 <220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa represents Gly

 <220>
 <221> MISC_FEATURE
 <222> (7)..(7)
 <223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

 <220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa represents Pro or Gly

 <220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa represents Ser, Thr, Asp or Gly

 <220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa represents Citrulline, Gly, Ser or Thr

 <220>
 <221> MISC_FEATURE
 <222> (12)..(12)
 <223> Xaa represents Citrulline

 <220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> Xaa represents Gly

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn, Tyr,
 Phe or Trp

<220>
 <221> MISC_FEATURE
 <222> (16)..(16)
 <223> Xaa represents Pro or Gly

<220>
 <221> MISC_FEATURE
 <222> (17)..(17)
 <223> Xaa represents Gly

<220>
 <221> MISC_FEATURE
 <222> (18)..(18)
 <223> Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln, Asn,
 Phe or Trp

<400> 4

Xaa Xaa Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa
 1 5 10 15

Xaa Xaa

<210> 5
 <211> 16
 <212> PRT
 <213> Artificial sequence

<220>
 <223> Synthetic Peptides

<220>
 <221> MISC_FEATURE
 <222> (1)..(1)
 <223> Xaa represents Ser, Thr, Asp, Glu, Asn, Gln, His, Lys or Arg

<220>
 <221> MISC_FEATURE
 <222> (2)..(2)
 <223> Xaa represents Ile, Leu, Val, Ala or Met

<220>
 <221> MISC_FEATURE
 <222> (3)..(3)
 <223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
 <221> MISC_FEATURE
 <222> (4)..(4)
 <223> Xaa represents Gly

<220>
 <221> MISC_FEATURE
 <222> (5)..(5)
 <223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>
 <221> MISC_FEATURE
 <222> (6)..(6)
 <223> Xaa represents Pro or Gly

<220>
 <221> MISC_FEATURE
 <222> (8)..(8)
 <223> Xaa represents Ser, Thr, Asp or Gly

<220>
 <221> MISC_FEATURE
 <222> (9)..(9)
 <223> Xaa represents Citrulline, Gly, Ser or Thr

<220>
 <221> MISC_FEATURE
 <222> (10)..(10)
 <223> Xaa represents Citrulline

<220>
 <221> MISC_FEATURE
 <222> (11)..(11)
 <223> Xaa represents Gly

<220>
 <221> MISC_FEATURE
 <222> (13)..(13)
 <223> Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn, Tyr, Phe or Trp

<220>
 <221> MISC_FEATURE
 <222> (14)..(14)
 <223> Xaa represents Pro or Gly

<220>
 <221> MISC_FEATURE
 <222> (15)..(15)
 <223> Xaa represents Gly

<220>
 <221> MISC_FEATURE
 <222> (16)..(16)
 <223> Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln, Asn, Phe or Trp

<400> 5

Xaa Xaa Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa
1 5 10 15

<210> 6

<211> 14

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic Peptides

<220>

<221> MISC_FEATURE

<222> (1)..(1)

<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa represents Gly

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe or Trp

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa represents Pro or Gly

<220>

<221> MISC_FEATURE

<222> (6)..(6)

<223> Xaa represents Ser, Thr, Tyr, Asp or Gly

<220>

<221> MISC_FEATURE

<222> (7)..(7)

<223> Xaa represents Citrulline, Gly, Ser, Thr

<220>

<221> MISC_FEATURE

<222> (8)..(8)

<223> Xaa represents Citrulline

<220>

<221> MISC_FEATURE

<222> (9)..(9)

<223> Xaa represents Gly

<220>

<221> MISC_FEATURE

C3

<222> (11)..(11)
<223> Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn, Tyr,
Phe or Trp

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents Pro or Gly

<220>
<221> MISC_FEATURE
<222> (13)..(13)
<223> Xaa represents Gly

<220>
<221> MISC_FEATURE
<222> (14)..(14)
<223> Xaa represents Tyr, His, Lys, Arg, Asp, Glu, Ser, Thr, Gln, Asn,
Phe or Trp

<400> 6

Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa Cys Xaa Xaa Xaa Xaa
1 5 10

<210> 7
<211> 18
<212> PRT
<213> Artificial

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents Citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents Citrulline

<400> 7

Gln Asp Thr Ile His Gly His Pro Cys Ser Xaa Xaa Gly His Arg Cys
1 5 10 15

Gly Tyr

<210> 8
<211> 18

<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents Citrulline

<400> 8

Gln Asp Thr Ile His Gly His Pro Cys Ser Ser Xaa Gly His Arg Cys
1 5 10 15

Gly Tyr

C
3
<210> 9
<211> 18
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents Cit

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents Citrulline

<400> 9

Gln Asp Thr Ile His Gly His Pro Cys Ser Xaa Xaa Gly His Gln Cys
1 5 10 15

Gly Tyr

<210> 10
<211> 18
<212> PRT
<213> Artificial sequence

<220>

<223> Synthetic Peptides

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa represents Citrulline

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa represents Citrulline

<400> 10

Gln Asp Thr Ile His Gly His Pro Cys Ser Xaa Xaa Gly His Arg Cys
1 5 10 15

Gly Gln

C
3
<210> 11

<211> 18

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic Peptides

<220>

<221> MISC_FEATURE

<222> (11)..(11)

<223> Xaa represents Citrulline

<220>

<221> MISC_FEATURE

<222> (12)..(12)

<223> Xaa represents Citrulline

<400> 11

Gln Asp Thr Ile His Gly His Pro Cys Ser Xaa Xaa Gly His Gln Cys
1 5 10 15

Gly Gln

<210> 12

<211> 18

<212> PRT

<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (11)..(11)
<223> Xaa represents Citrulline

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents Citrulline

<400> 12

Gln Asp Thr Ile His Gly His Pro Cys Ser Xaa Xaa Gly Cys Arg Pro
1 5 10 15

Gly Tyr

C
3
<210> 13
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa represents Citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 13

His Gly His Pro Cys Ser Xaa Xaa Gly His Arg Cys Gly Tyr
1 5 10

<210> 14
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa represents Citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 14

His Gly His Pro Cys Ser Xaa Xaa Gly Cys Arg Pro Gly Tyr
1 5 10

<210> 15
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (7)..(7)
<223> Xaa represents Citrulline

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 15

His Gly His Gly Cys Asp Xaa Xaa Gly His Arg Cys Gly Gln
1 5 10

<210> 16
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 16

His Gly His Gly Cys Asp Ser Xaa Gly His Arg Cys Gly Gln
1 5 10

<210> 17
<211> 18
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (12)..(12)
<223> Xaa represents Citrulline

<400> 17

Gln Asp Thr Ile Val Gly Trp Gly Cys Asp Ser Xaa Gly Cys Arg Pro
1 5 10 15

C3
Gly Gln

<210> 18
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 18

Val Gly Trp Gly Cys Asp Ser Xaa Gly Cys Arg Pro Gly Gln
1 5 10

<210> 19
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 19

Thr Gly Ser Ser Thr Gly Gly Xaa Gln Gly Ser His His Glu
1 5 10

<210> 20
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 20

Glu Ser Ser Arg Asp Gly Ser Xaa His Pro Arg Ser His Asp
1 5 10

<210> 21
<211> 14
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (8)..(8)
<223> Xaa represents Citrulline

<400> 21

Glu Gln Ser Ala Asp Ser Ser Xaa His Ser Gly Ser Gly His
1 5 10

<210> 22
<211> 22
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic Peptides

<220>
<221> MISC_FEATURE
<222> (10)..(10)
<223> Xaa represents Citrulline

<400> 22

Ser	His	Gln	Cys	His	Gln	Glu	Ser	Thr	Xaa	Gly	Arg	Ser	Arg	Gly	Arg
1				5					10					15	

Cys Gly Arg Ser Gly Ser
20

<210> 23
<211> 8
<212> PRT
<213> Artificial sequence

<220>
<223> Synthetic peptide

<220>
<221> MISC_FEATURE
<222> (2)..(2)
<223> Xaa represents Ser, Thr, Asp, or Gly

<220>
<221> MISC_FEATURE
<222> (3)..(3)
<223> Xaa represents Citrulline, Gly, Ser, or Thr

<220>
<221> MISC_FEATURE
<222> (4)..(4)
<223> Xaa represents Citrulline

<220>
<221> MISC_FEATURE
<222> (5)..(5)
<223> Xaa represents Gly

<220>
<221> MISC_FEATURE
<222> (6)..(6)
<223> Xaa represents His, Lys, Arg, Asp, Glu, Ser, Thr, Tyr, Phe, or Trp

<220>
<221> MISC_FEATURE
<222> (7)..(7)

<223> Xaa represents Arg, Lys, His, Asp, Glu, Ser, Thr, Gln, Asn, Tyr,
Phe, or Trp

<400> 23

Cys Xaa Xaa Xaa Xaa Xaa Xaa Cys
1 5

<210> 24

<211> 6

<212> PRT

<213> Artificial sequence

<220>

<223> Synthetic peptide

C
3
<220>

<221> MISC_FEATURE

<222> (2)..(2)

<223> Xaa represents Ser, Thr, Asp, or Gly

<220>

<221> MISC_FEATURE

<222> (3)..(3)

<223> Xaa represents Citrulline, Gly, Ser, or Thr

<220>

<221> MISC_FEATURE

<222> (4)..(4)

<223> Xaa represents Citrulline

<220>

<221> MISC_FEATURE

<222> (5)..(5)

<223> Xaa represents Gly

<400> 24

Cys Xaa Xaa Xaa Xaa Cys
1 5

Applicati n No.: 09/747,029



NOTICE TO COMPLY WITH REQUIREMENTS FOR PATENT APPLICATIONS CONTAINING NUCLEOTIDE SEQUENCE AND/OR AMINO ACID SEQUENCE DISCLOSURES

The nucleotide and/or amino acid sequence disclosure contained in this application does not comply with the requirements for such a disclosure as set forth in 37 C.F.R. 1.821 - 1.825 for the following reason(s):

- ☒ 1. This application clearly fails to comply with the requirements of 37 C.F.R. 1.821-1.825. Applicant's attention is directed to these regulations, published at 1114 OG 29, May 15, 1990 and at 55 FR 18230, May 1, 1990.
- ☐ 2. This application does not contain, as a separate part of the disclosure on paper copy, a "Sequence Listing" as required by 37 C.F.R. 1.821(c).
- ☐ 3. A copy of the "Sequence Listing" in computer readable form has not been submitted as required by 37 C.F.R. 1.821(e).
- ☐ 4. A copy of the "Sequence Listing" in computer readable form has been submitted. However, the content of the computer readable form does not comply with the requirements of 37 C.F.R. 1.822 and/or 1.823, as indicated on the attached copy of the marked -up "Raw Sequence Listing."
- ☐ 5. The computer readable form that has been filed with this application has been found to be damaged and/or unreadable as indicated on the attached CRF Diskette Problem Report. A Substitute computer readable form must be submitted as required by 37 C.F.R. 1.825(d).
- ☐ 6. The paper copy of the "Sequence Listing" is not the same as the computer readable form of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).
- ☒ 7. Other: Applicant is required to provide seq id nos for all sequences appearing in the specification (such as for example, that appearing on page 14 at line 31).

Applicant Must Provide:

- ☒ An initial or substitute computer readable form (CRF) copy of the "Sequence Listing" as required by 37 C.F.R. 1.821(e).
- ☒ An initial or substitute paper copy of the "Sequence Listing", as well as an amendment directing its entry into the specification.
- ☒ A statement that the content of the paper and computer readable copies are the same and, where applicable, include no new matter, as required by 37 C.F.R. 1.821(e) or 1.821(f) or 1.821(g) or 1.825(b) or 1.825(d).

For questions regarding compliance to these requirements, please contact:

For Rules Interpretation, call (703) 308-4216
For CRF Submission Help, call (703) 308-4212
PatentIn Software Program Support (SIRA)
Technical Assistance.....703-287-0200
To Purchase PatentIn Software.....703-306-2600

PLEASE RETURN A COPY OF THIS NOTICE WITH YOUR RESPONSE

RECEIVED
APR 22 2003
TECH CENTER 1600/2900